August 2022

# **Overview of Canadian communities exposed to sea level rise**

By Tracey Wade, RPP, MCIP, for CLIMAtlantic In partnership with the National Collaborating Centre for Environmental Health





National Collaborating Centre for Environmental Health

Centre de collaboration nationale en santé environnementale

# ncceh.ca

## Key Messages

- Sea levels are rising around the world due to a combination of factors related to global climate change such as increasing glacial meltwaters and thermal expansion of warming oceans.
- Relative sea level rise refers to local projections for coastal communities that take into account changing elevation of the land, which is still rebounding from the last ice age. Specifically in Canada, coastal land is lifting in the north and sinking in the east.
- High emissions scenarios including expected melt in Antarctica suggest sea levels may rise as much as 175 cm in parts of Canada by 2100.
- The most significant sea level rise will be experienced in Atlantic Canada; however, a larger population will be impacted in British Columbia.
- Canada has 226,000 kilometres of coastline with up to 600,000 people currently exposed to rising seas, which increases to 850,000 people by the year 2100.
- Indigenous communities on all three coastlines are particularly vulnerable to climate hazards associated with sea level rise.

## Introduction

Coastal communities are being increasingly impacted by the long-term threat of sea level rise. Decades ago, powerful storms were typically the cause of coastal flooding. Now, due to rising seas, seasonal wind events and high tides can cause more frequent flooding of coastal communities. This affects homes and businesses, overloads stormwater and wastewater systems, and can cause infiltration of saltwater into coastal groundwater sources,<sup>1</sup> all of which can have impacts on human health.

The National Collaborating Centre for Environmental Health (NCCEH) is seeking to better understand the public health impacts of sea level rise in Canada, and to identify how the impacts are addressed in current community-based tools such as local Climate Change Adaptation Plans (CCAPs). The findings will be used to examine how public health perspectives can be used to help communicate risks and identify adaption measures to reduce the adverse impacts of sea level rise in the most vulnerable communities. While the intent of this report is to consider Canadian communities at risk of exposure to long-term sea level rise, it



is recognized that coastal hazards such as storm surge, erosion, permafrost melt, and flooding will be exacerbated in the short and medium term by rising sea levels. It is the combination of these physical factors, as well as a wide range of socioeconomic factors that determine the vulnerability of coastal communities. As a first step, this report provides an overview of Canadian communities most at risk from sea level rise for public health and climate adaptation practitioners.

## Project Approach

### Defining sea level rise

As average global temperatures increase, global sea levels have been rising due to meltwater volume added from glaciers, polar ice caps, and ice sheets, as well as through thermal expansion of warming ocean waters.<sup>2</sup> Though sea level rise is a global phenomenon, coastal areas around the world and even within Canada will experience differing levels of rising seas. In Canada, sea level rise is modified by glacial isostatic adjustment in some areas – that is the vertical land motion that is a delayed response to the end of the last ice age.<sup>2</sup> As a result, some areas of Canada's coastline are experiencing uplift in land elevations; such is the case in Hudson's Bay and much of the Canadian Arctic Archipelago. Other areas of Canada's coastline are experiencing subsidence where the land is sinking, which is the reality for the Beaufort Sea region and the Atlantic coast. In addition, certain areas of British Columbia are experiencing subsidence due to the weight of alluvial deposits (river sediment washed into the basin from upstream) from the Fraser River. Because of this vertical movement of land, Canadian coastlines will have different relative exposure to sea level rise and experience varying impacts that may result from that exposure.

The regions most exposed to sea level rise in Canada were identified based on the 2021 report by the Geological Survey of Canada, and replicated in Figure 1<sup>a</sup>.<sup>2</sup> These projections are "worst-case scenario" based on the Intergovernmental Panel on Climate Change (IPCC) in its Fifth Assessment Report using the Representative Concentration Pathway (RCP) 8.5 to the median projection including an enhanced sea level rise of 65 cm to accommodate projected additional meltwaters from Antarctica.



<sup>&</sup>lt;sup>a</sup> Figure 1 was reproduced from the Geological Survey of Canada's *Relative sea level rise projections for Canada based on the IPCC Fifth Assessment Report and the NAD83v70VG national crustal velocity* model by TS James, JA Henton and M Craymer. Figure 5, p. 11 <u>https://geoscan.nrcan.gc.ca/text/geoscan/fulltext/of\_8764.pdf.</u><sup>2</sup> This reproduction is a copy of an official work that is published by Natural Resources Canada (NRCan) and has not been produced in affiliation with, or with the endorsement of, NRCan.



Figure 1: Projected relative sea level rise in Canada by 2100

### Exposure to sea level rise

Canada has more than 226,000 kilometres of coastline, with 38,000 kilometres in the four Atlantic Provinces (New Brunswick, Nova Scotia, Prince Edward Island, and Newfoundland and Labrador), 26,000 kilometres in British Columbia, and a staggering 162,000 kilometres of coastline in Canada's Arctic.

In a 2019 global analysis of population vulnerability to sea level rise and coastal flooding, Kulp and Strauss estimated there to be 320,000 to 600,000 people in Canada who currently occupy land that is subject to sea level rise and coastal flooding.<sup>3</sup> This research further suggests that by 2100, under a high emissions scenario (RCP8.5), there will be between 480,000 and 840,000 people living in regions exposed to sea level rise in Canada. This is a conservative estimate as it does not include the potential for enhanced sea level rise (anticipated meltwater contribution from the Antarctic Ice Sheet).

The many First Nation communities whose traditional lands are situated along Canada's coastline are also exposed to sea level rise and the associated impacts from permafrost melt, erosion, and storm surge.

While Indigenous communities in the north will be facing many challenges related to climate change, the impact of sea level rise specifically will likely be felt more by First Nation communities along the Atlantic and Pacific coasts.

Below we describe the geographic distribution of regions with highest risk of exposure to sea level rise in Canada and highlight some of the most vulnerable communities. The method used to identify these communities involved discussions with provincial and territorial experts in climate change and corroboration of sea level rise risk from www.Climatedata.ca.<sup>4</sup>



## Findings

Which Canadian coastal communities are most exposed to sea level rise?

### **Atlantic Canada**

Figure 2: Selected coastal communities in Atlantic region exposed to sea level rise.



While each province in Atlantic Canada has unique geography, coastal geomorphology, and socioeconomic history, settlement along or near the extensive coastline is common. Figure 2 demonstrates that much of Atlantic Canada, and in particular, New Brunswick, Nova Scotia, and Prince Edward Island, will be exposed to the highest rates of sea level rise in Canada by 2100. With a total population nearing 2.5 million, it is estimated that at least 25%, or more than 600,000 people, live within 20 kilometers of the Atlantic coastline - some located on high cliffs not exposed to sea level rise, while others are more vulnerable as they are located at sea level.<sup>2</sup> With the exception of the Halifax Regional Municipality and the City of Charlottetown, the majority of the Atlantic coastline tends to be rural and sparsely populated; however, there are growing development pressures along all Maritime coastlines. In addition, southwestern regions of Newfoundland and Quebec's Les Îles-de-la-Madeleine are also highly exposed to sea level rise and its impacts. Table 1 provides a quick overview of the key regions and examples of communities most exposed to sea level rise in the Atlantic. Population demographics as well as population density are used to reflect the degree of exposure from a public health perspective.

Region	Community examples	SLR estimates to 2100⁵	Population	Population density (people/km <sup>2</sup> )
Acadian Peninsula / Chaleur Region (NB)	Gloucester County (Beresford, Bathurst, Le Goulet, Shippagan, Sainte-Marie-Saint- Raphael, Bas Caraquet, Maisonnette)	148 cm	78,256	16.5
Northumberland Strait (NB/PEI)	Shediac (NB) Pointe-du-Chêne (NB) Summerside (PEI) Borden-Carleton (PEI) Victoria (PEI) Charlottetown (PEI)	146 cm 146 cm 146 cm 146 cm 148 cm 152 cm	7535 767 16,001 1600 226 38,809	117.7 333.3 567.2 60.9 59.0 42.2
Chignecto Isthmus (NB/NS)	Amherst (NS) Sackville (NB)	148 cm 148 cm	9404 6099	2.8 82.5
Atlantic Coast (NS)	Lunenburg County (Lunenburg, Mahone Bay) Halifax County Richmond County (Cape Breton)	157 cm 164 cm 175 cm	48,599 440,072 8914	16.7 80.3 7.2
Gulf of St. Lawrence	Souris (PEI)	157 cm	1079	299.0

#### Table 1. Examples of Atlantic coastal communities most exposed to sea level rise

<sup>&</sup>lt;sup>c</sup> All population and population density data in the following sections are taken from the 2021 Census Profiles unless otherwise indicated.<sup>5</sup>



<sup>&</sup>lt;sup>b</sup> These are enhanced estimates relative to 2006 for RCP8.5 to 2100 based on the 2021 projections

(PE/QU)	Îles de la Madeleine (QU)	156 cm	12,190	78.6
Southwest Newfoundland (NL)	Stephenville (NL)	150 cm	6540	185.4
Placentia Bay (NL)	NL Census Division 2 (Burin Peninsula, NL) Argentia/Placentia (NL)	149 cm 148 cm	19,392 3289	3.3 56.9

Indigenous communities with lands along coastlines in the Maritime Provinces that are exposed to sea level rise, are made more vulnerable due to a combination of geographic, social, and cultural factors. A selection of the most exposed First Nations communities in the Atlantic region are highlighted in Table 2.

Table 2: Selection of First Nation coastal communities in the Atlantic exposed to sea level rise

Region	Community Examples	SLR estimates to 2100 <sup>d</sup>	Population <sup>e</sup>
Gulf Coast (PEI)	Lennox Island First Nation	146 cm	325
Chaleur Coast (NB)	Ugpi'ganjig First Nation	138 cm	415
Northumberland Strait	LnuiMenikuk First Nation	151 cm	135
(NS)	Pictou Landing First Nation	157 cm	485
Cape Breton (NS)	Potlotek First Nation	163 cm	505

 $<sup>^{\</sup>rm d}$  These are enhanced estimates relative to 2006 for RCP8.5 to 2100 based on the 2021 projections

<sup>&</sup>lt;sup>e</sup> First Nations population estimates in this report are taken from First Nation profiles.<sup>6</sup>

### Canada's North



Figure 3: Communities exposed to sea level rise in the Beaufort Sea (NWT)

While the Canadian Arctic Archipelago has 162,000 kilometres of coastline, it will have a relatively low exposure to sea level rise because the isostatic rebound of lands from the last ice age is raising land elevation in most of the region. Much of the coastline is uninhabited, which also limits impact to settlements and human health. The areas most at risk in the north are those around the Beaufort Sea near the northern regions of the Yukon and Northwest Territories, as illustrated in Figure 3. Facing particular vulnerability is Tuktoyaktuk, which is situated on a low-lying peninsula that is already exposed to coastal erosion and flooding. Table 3 provides a brief overview of four communities in the Northwest Territories most exposed to sea level rise.

Community	SLR estimates to 2100 <sup>f</sup>	Population	Population density (people/km <sup>2</sup> )
Tuktoyaktuk	144 cm	937	74.0
Sach's Harbour	132 cm	104	0.4
Ulukhaktok	85 cm	408	3.4
Paulatuk	106 cm	298	4.7

Table 3. Coastal communities in Northwest Territories most exposed to sea level rise

### **Canada's Pacific Coast**

Figure 4: Examples of Pacific coast communities exposed to sea level rise



<sup>f</sup> These are enhanced estimates relative to 2006 for RCP8.5 to 2100 based on the 2021 projections

In addition to being one of the most populated regions in Canada, the metropolitan area of Vancouver is one of the most exposed to sea level rise, as illustrated in Figure 4. Being geographically situated between Burrard Inlet, the Salish Sea, and the Fraser River, the region is at risk of sea level rise as well as increasing storm surge and coastal flood events. Lying at the mouth of the Fraser River, about half of the City of Delta's land area is less than 1.5 m above mean sea level and a 61-kilometre dike system defends these areas from coastal and riverine flooding. Further north along the British Columbia coastline, the District of Squamish is also exposed to sea level rise. If sea level rise meets its average forecast of 1 m by 2100, more than 311,000 people will be displaced and seeking shelter in British Columbia.<sup>7</sup> As well, the southern tip of Vancouver Island and Haida Gwaii are exposed to sea level rise. Tables 4 and 5 provide a brief overview of population and density as well as sea level rise estimates for these regions.

#### Table 4: Pacific coast populations exposed to sea level rise

Exposure Region	Community examples	SLR estimates to 2100	Population	Population density (people/km <sup>2</sup> )
Census Metropolitan Area of Vancouver	Vancouver, Surrey, West Vancouver, Port Moody, North Vancouver Delta Richmond	125 cm 130 cm 128 cm	2.6 million	918.0
Howe Sound	Squamish District Mun.	115 cm	23,819	227.5
Southern Vancouver Island	Victoria Oak Bay District Mun. Saanich District Mun.	130 cm 130 cm 130 cm	91,867 17,990 117,735	4722.3 1710.0 1136.6

The Pacific coast of Canada is home to many First Nation communities, many of which are established in coastal areas and islands that are highly exposed to sea level rise. Table 5 highlights a selection of some of those most exposed communities, also identified in Figure 4.

Region	Community Examples	SLR estimates to 2100	Population
Haida Gwaii	Skidegate Band Council	132 cm	835
	Old Massett Village Council	136 cm	555
Delta	Tsawwassen First Nation	130 cm	750
	Musqueam Nation	127 cm	1660
Burrard Inlet	Tsleil-Waututh	126 cm	1855
	Squamish	115 cm	4060
Vancouver Island	Tsawout First Nation	130 cm	1685

<b>Table 5: Selectio</b>	n of Pacific First	t Nation comm	unities exposed	d to sea level rise

## Summary

According to high emission projections for relative sea level rise, the Atlantic coast, the coast of the Beaufort Sea, and the cities of Metro Vancouver are the regions that will be most exposed to rising seas in Canada. These regions may experience sea level rise of up to 175 cm by 2100, which will have dramatic consequences for low-lying coastal communities. Many Indigenous communities are situated throughout these vulnerable coastlines.

The risk to human health in such communities must be considered within the broader context where sea level rise exacerbates coastal hazards such as storm surge, erosion, permafrost melt, and flooding, and increases the vulnerability of these communities from a socio-economic perspective. Sea level rise may force displacement of some communities to less impacted areas, causing disruption of daily life, livelihoods, and community cohesion. Understanding the health impacts of these hazards will be considered in the next section.

## Acknowledgements

We would like to express our appreciation to the NCCEH staff, particularly Juliette O'Keeffe for her guidance in developing this overview report. Thanks also to CLIMAtlantic team members Sabine Dietz,

Réal Daigle and Cassandra Gautreau for their invaluable input. We also thank ClimateData.ca for providing climate information used in this paper.

## References

1. Sweet W, Hamlington B, Kopp R, Weaver C, Barnard P, Bekaert D, et al. Global and regional sea level rise scenarios for the United States: updated mean projections and extreme water level probabilities along U.S. coastlines. NOAA Technical Report NOS 01. Silver Springs, MD: National Oceanic and Atmospheric Administration; 2022 Feb. Available from: <u>https://oceanservice.noaa.gov/hazards/sealevelrise/noaa-nos-techrpt01-global-regional-SLR-scenarios-US.pdf</u>.

2. James T, Robin C, Henton J, M C. Relative sea-level rise projections for Canada based on the IPCC Fifth Assessment Report and the NAD83v70VG national crustal velocity model. Ottawa, ON: Geological Survey of Canada; 2021. Available from: <u>https://doi.org/10.4095/327878</u>.

3. Kulp S, Strauss B. New elevation data triple estimates of global vulnerability to sea-level rise and coastal flooding. Nat Commun. 2019 Oct;10(4844). Available from: <u>https://doi.org/10.1038/s41467-019-12808-z</u>.

4. ClimateData.ca. Climate data for a resilient Canada. ClimateData.ca, created through a collaboration between the Pacific Climate Impacts Consortium (PCIC), Ouranos Inc., the Prairie Climate Centre (PCC), Environment and Climate Change Canada (ECCC) Centre de Recherche Informatique de Montréal (CRIM) and Habitat7; [cited 2022 Jul 2]; Available from: <u>https://climatedata.ca/</u>.

5. Statistics Canada. Census profile, 2021 census of population. Ottawa, ON: Statistics Canada; [updated 2022 Jul 26; cited 2022 Aug 16]; Available from: <u>https://www12.statcan.gc.ca/census-recensement/2021/dp-pd/prof/index.cfm?Lang=E</u>.

6. Crown-Indigenous Relations and Northern Affairs Canada. First Nation profiles. Ottawa, ON: Government of Canada; [updated 2021 Dec 7; cited 2022 Aug 16]; Available from: <u>https://fnp-ppn.aadnc-aandc.gc.ca/fnp/Main/index.aspx?lang=eng</u>.

7. Cheung C, Gamage M. Fighting floods, or living with water? The Tyee. 2022 Jun 22. Available from: <u>https://thetyee.ca/News/2022/06/20/Fighting-Floods-Living-With-Water/</u>.

### How to cite this document

#### ISBN: 978-1-988234-73-1

#### This document can be cited as:

Wade T, ClimAtlantic. Overview of Canadian communities exposed to sea level rise. National Collaborating Centre for Environmental Health (NCCEH). Vancouver, BC: NCCEH. 2022 Aug.

Permission is granted to reproduce this document in whole, but not in part. Production of this document has been made possible through a financial contribution from the Public Health Agency of Canada through the National Collaborating Centre for Environmental Health.

© National Collaborating Centre for Environmental Health 2022 655 W. 12th Ave., Vancouver, BC, V5Z 4R4 contact@ncceh.ca | <u>www.ncceh.ca</u>

